

FACT SHEET

M/V Sjoborg

OWNER

Skansi Offshore,
Faroe Islands

DESIGN

Havyard 833CD

YARD

Havyard, Leirvik,
Norway

BUILT

2012





MAIN PARTICULARS

| | |
|------------------------------|---------------------|
| LOA | 86.00 m |
| LPP | 75.60 m |
| Air Draught | 28,3 m |
| Breadth, moulded | 19.60 m |
| Depth to Main Deck | 8.00 m |
| Depth to A Deck | 10.80 m |
| Maximum Draught | 6.60 m |
| Deadweight at 6.60 m draught | 4700 ton |
| Deck Cargo | 2500 ton |
| Cargo deck area | 1002 m ² |
| Accommodation | 25 |
| Service Speed | 10 Kn |
| Max Speed | 14 Kn |

CAPACITIES

| | |
|---------------------------|---------------------|
| Fuel Oil | 1270 m ³ |
| Dry Bulk | 440 m ³ |
| Base Oil | 215 m ³ |
| Mud | 1565 m ³ |
| Brine | 1025 m ³ |
| Water Ballast/Drill Water | 2700 m ³ |
| Fresh Water | 1020 m ³ |
| Oil recovery | 1900 m ³ |
| Methanol (LFL*) | 765 m ³ |
| Special product (LFL*) | 540 m ³ |
| Slop | 44 m ³ |



CLASSIFICATION

Rina: Supply Vessel - Heavycargo; Oil recovery ship;
Unrestricted navigation; AUT-UMS; COMF-NOISE-B;
COMF-VIB-B; DMS; DYNPOS AM/AT R:Green plus; ICE CLASS
ID; Inwatersurvey:PMS; SYS-IBS; Battery Powered

OTHER

Standby rescue (NMD 250 persons) NOFO 2009 (1.9)

DP REFERENCE SYSTEMS

- 2 x DGPS
- 1 x RADIUS
- 1 x Fanbeam

MANOUEVERING AND PROPULSION SYSTEMS

| | |
|---------------------|---|
| Main Engines | 2 x MTU 1560 kW 2 x MTU 1840 kW with NOx reducing catalyst systems |
| Propulsion | 2 x Schottel 1900 kW main azimuth thrusters |
| Emg./Harbour Gen. | 1 x Volvo 300 kW |
| Bow Thruster | 2 x Brunvoll 800 kW (super silent) |
| Retractable Azimuth | 1 x Brunvoll 800 kW |

OPTIONS

FIFI I